


<u>Thiele-Small parameters:</u>	<u>Tannoy LSU/LF/HF/15L Monitor RED</u>		
	<u>SN#048715 (left)</u>	<u>SN#052542 (Right)</u>	<u>Tannoy (Hilberink)</u>
Fs =	56.76 Hz	37.45 Hz	32
Re =	9.00 ohms[dc]	10.10 ohms[dc]	9,5
Le =	778.47 uH	889.58 uH	
L2 =	3898.58 uH	5470.39 uH	
R2 =	75.74 ohms	110.67 ohms	
Qt =	0.59	0.45	0.26
Qes =	0.62	0.48	0,32
Qms =	12.10	7.24	1,3
Mms =	63.32 grams	57.21 g	72 g
Rms =	1.865616 kg/s	1.858280 kg/s	11,6 mech ohms
Cms =	0.000124 m/N	0.000316 m/N	0,00032
Vas =	120.01 liters	305.11 liters	270
Sd=	829.58 cm^2	829.58 cm^2	770
Bl =	18.126837 Tm	16.817940 Tm	21,25
ETA =	3.41 %	3.21 %	
Lp(2.83V/1m) =	96.92 dB	96.15 dB	93
Added Mass Method:			
Added mass	= 44.00 grams		
Diameter=	32.50 cm		

SN#48715 (left)



SN#052542 (Right)

